L Number	Hits	Search Text	DB	Time stamp
1	12	(oriented with message same	USPAT;	2004/01/13 10:26
-		transaction).ab.	US-PGPUB;	·
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/01/10 10 10
2	87	(oriented near2 message).ab.	USPAT;	2004/01/13 10:28
		, in the second of the second	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
3	30	(oriented adj2 message).ab.	USPAT;	2004/01/13 10:30
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/01/10 10 00
4	147	(class near2 message).ab.	USPAT;	2004/01/13 10:30
İ			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
5	4	(class near2 message same transaction	USPAT;	2004/01/13 10:31
1	_).ab.	US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/07/70 77 71
6	11	(class near2 message same oriented).ab.	USPAT;	2004/01/13 11:34
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
7	2	(6,473,740).pn.	USPAT;	2004/01/13 11:37
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	,
		/ . 40 (1) 40	IBM_TDB	2004/01/12 11 20
8	190920	(sav\$3 with network\$3 available).ab.	USPAT; US-PGPUB;	2004/01/13 11:38
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
9	16	(sav\$3 with network\$3 with available).ab.	USPAT;	2004/01/13 11:39
			US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
10		(sav\$3 with message with available).ab.	IBM_TDB	2004/01/13 11:40
10	7	(savas with message with available).ab.	USPAT; US-PGPUB;	2004/01/13 11:40
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
11	1	(sav\$3 with message with available with	USPAT;	2004/01/13 11:40
	1	connection\$1).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
12	13	(sav\$3 with available with	USPAT;	2004/01/13 11:43
1.	13	connection\$1).ab.	US-PGPUB;	
			EPO; JPO;	,
			DERWENT;	
			IBM_TDB	
13	63	(sav\$3 with network with	USPAT;	2004/01/13 11:45
		connection\$1).ab.	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
14		(sav\$3 with network with connection\$1 &	USPAT;	2004/01/13 11:44
		busy).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB_	<u> </u>

15	4	(sav\$3 with connection\$1 with busy).ab.	USPAT; US-PGPUB; EPO; JPO;	2004/01/13 11:46
			DERWENT; IBM_TDB	
16	3	(sav\$3 with network\$3 with busy).ab.	USPAT; US-PGPUB; EPO; JPO;	2004/01/13 11:53
17	16	(sav\$3 with network\$3 with busy)	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/01/13 11:56
			EPO; JPO; DERWENT; IBM TDB	
18	109	(stor\$3 with network\$3 with busy).ab.	USPAT; US-PGPUB; EPO; JPO;	2004/01/13 11:56
			DERWENT;	
19	0	(stor\$3 with network\$3 with busy same availabe).ab.	IBM_TDB USPAT; US-PGPUB;	2004/01/13 11:56
20	8	(stor\$3 with network\$3 with busy same	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/01/13 11:58
		available).ab.	US-PGPUB; EPO; JPO; DERWENT;	
21	12	(stor\$3 with connection\$1 with busy same available).ab.	IBM_TDB USPAT; US-PGPUB;	2004/01/13 12:01
			EPO; JPO; DERWENT; IBM_TDB	
22	0	(sav\$3 with connection\$1 with busy same available).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/13 11:59
23	0	(sav\$3 with transmi\$6 with busy same available).ab.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/13 12:02
24	8	(stor\$3 with transmi\$6 with busy same	DERWENT; IBM_TDB USPAT;	2004/01/13 12:02
		available).ab.	US-PGPUB; EPO; JPO; DERWENT;	
-	6	(task with controll\$3) same (alert with interrupt\$3)	IBM_TDB USPAT; US-PGPUB;	2004/01/05 14:16
		(shall many	EPO; JPO; DERWENT; IBM_TDB	2002/05/07 15:25
_	8	(shell near2 command) same interrupt\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/07 15:36
-	59	(scheduler\$3 same task\$3 same interrupt\$3).ab.	IBM_TDB USPAT; US-PGPUB;	2003/05/07 15:37
			EPO; JPO; DERWENT; IBM_TDB	
-	4	<pre>(scheduler\$3 same task\$3 same interrupt\$3).ti.</pre>	USPAT; US-PGPUB; EPO; JPO;	2003/05/07 15:43
			DERWENT; IBM_TDB	

-	538	(device near "2" expanding near2 WWW	USPAT;	2004/01/05 14:19
		near2 Browser near2 function).ti.	US-PGPUB;	
			EPO; JPO;	į
			DERWENT;	
			IBM_TDB	
-	2	(6,418,464 B1).pn.	USPAT;	2004/01/05 14:20
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	(5,930,792).pn.	USPAT;	2004/01/05 14:20
			US-PGPUB;	
			EPO; JPO;	l i
			DERWENT;	
		(-	IBM_TDB	
-	2	(5,826242).pn.	USPAT;	2004/01/05 15:37
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		/ <u>-</u>	IBM_TDB	
-	2	(5,938,775).pn.	USPAT;	2004/01/06 10:26
i	1		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(/ / / 2 2)	IBM_TDB	
-	0	((mail near2 daemon) with (controll\$3 or	USPAT;	2004/01/05 16:49
		order\$3)).ab.	US-PGPUB;	
			EPO; JPO;	
	i		DERWENT;	
	_	(/	IBM_TDB	
-	1	((mail near2 daemon)).ab.	USPAT;	2004/01/05 16:49
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	,	/ / mail manua daaman\	IBM_TDB	2004/01/05 35 40
-	1	((mail near2 daemon) with (controll\$3 or	USPAT;	2004/01/05 16:49
		order\$3))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1_	0	((mail with daemon) with (controll\$3 or	IBM_TDB USPAT:	2004/01/05 16.50
-	0	order\$3)).ab.	US-PGPUB;	2004/01/05 16:50
		order\$3//.ab.		
			EPO; JPO; DERWENT;	
			IBM TDB	
i _	5	((mail with daemon)).ab.	USPAT;	2004/01/05 16:50
		(\ mail with addition / \ fab.	US-PGPUB;	2004/01/03 10:50
1			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	67	(server with (id or identif\$3) with	USPAT;	2004/01/06 10:27
		port\$1).ab.	US-PGPUB;	
		, -, · - · · · · ·	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	(server with (id or identif\$3) with	USPAT;	2004/01/06 10:29
		port\$1 same dispatch\$3).ab.	US-PGPUB;	====, ==, ==,
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	(server with dispatch\$3 with port\$1).ab.	USPAT;	2004/01/06 10:33
			US-PGPUB;	' '
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	51	(server with dispatch\$3 with port\$1)	USPĀT;	2004/01/06 10:33
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
	<u> </u>		IBM_TDB	
		·		

-	0	(server with dispatch\$3 with port\$1)	USPAT;	2004/01/06 10:34
		same CCDS	US-PGPUB;	
			EPO; JPO;	
1			DERWENT; IBM TDB	
-	o	(server with dispatch\$3 with port\$1) &	USPĀT;	2004/01/06 10:34
		CCDS	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	4	(server with dispatch\$3 same port\$1	USPAT;	2004/01/06 10:37
).ab.	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	23	(shar\$3 with server with port\$1).ab.	USPAT;	2004/01/06 10:57
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	0	((shar\$3 with server with port\$1	USPAT;	2004/01/06 10:57
).ab.) & (switch\$3 with matric)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	0	((shar\$3 with server with port\$1).ab.) & (close with television with	USPAT;	2004/01/06 10:58
).ab.) & (Close with television with switch\$3)	US-PGPUB; EPO; JPO;	,
		5,120,143	DERWENT;	
			IBM_TDB	, ,
-	1	((close with television with	USPAT;	2004/01/06 10:59
		switch\$3) same port\$1).ab.	US-PGPUB; EPO; JPO;	
			DERWENT;	
	_	/ CCTTV	IBM_TDB	2004/01/06 11 01
-	5	(CCTV same port\$1).ab.	USPAT; US-PGPUB;	2004/01/06 11:01
			EPO; JPO;	
			DERWENT;	
_	0	((CCTV near2 switch\$3 near2 matrix	IBM_TDB USPAT;	2004/01/06 11:13
) same port\$1)	US-PGPUB;	2004/01/00 11:15
		•	EPO; JPO;	
			DERWENT; IBM TDB	
_	1	((CCTV near2 switch\$3 near2 matrix)	USPAT;	2004/01/06 15:17
	_)	US-PGPUB;	, , : ==:2,
			EPO; JPO;	
			DERWENT; IBM TDB	
_	2	(5,938,775).pn.	USPAT;	2004/01/06 16:12
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	1259	(selective with radio with	USPAT;	2004/01/06 16:19
		receiver).ti.	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	2	((selective with radio with	USPAT;	2004/01/06 16:31
		receiver).ti.) & Matsuhashi	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	(5,938,775).pn.	USPAT;	2004/01/06 16:32
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	

- 0	((dynamic near2 bases near2 object) same content).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/12 16:45
- О	((dynamic near2 bases near2 object)).ab.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/12 16:45
- 3	((dynamic near2 base near2 object)).ab.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/12 17:06
_ 2	((dynamic with base with object with server)).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/12 17:08
- 2	((dynamic with base with object same server)).ab.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/12 17:09
- 63	((dynamic with base with object)).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/12 17:09
- 2	((dynamic with base with object & server)).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/12 17:09
- 63	((dynamic with base with object)).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/12 17:11
- 17	((dynamic with (base near2 object))).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/12 17:13
- 2	((dynamic with (base near2 object)) same digital).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/12 17:11
- О	((dynamic with (base near2 object) & transaction)).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/12 17:12
- o	((dynamic with (base near2 object) & transaction)).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/12 17:13
- 5	(((dynamic with base with object)).ab.) & transaction	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/12 17:22
- 33	(central with authenticat\$6 same transaction).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 17:25

	0	((central with authenticat\$6 same	USPAT;	2004/01/12 17:24
1	"	transaction).ab.) & oreinted	US-PGPUB;	2004/01/12 17.24
		cransaction, ab., & oremited		-
			EPO; JPO;	1
			DERWENT;	
1	_ :		IBM_TDB	
-	1	((central with authenticat\$6 same	USPAT;	2004/01/12 17:24
		transaction).ab.) & oriented	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	(central with authenticat\$6 same	USPAT;	2004/01/13 10:25
		transaction same content).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	12	(request with orient\$3 with transaction	USPAT:	2004/01/12 17:38
).ab.	US-PGPUB;	
		, ,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
	<u> </u>		T T DIA T T D D	